Agricultural Marketing Service, USDA

§29.3072 Undried.

The condition of unfermented tobacco which has not been air-dried or steam-dried.

[24 FR 8771, Oct. 29, 1959. Redesignated at 47 FR 51722, Nov. 17, 1982, 49 FR 16758, Apr. 20, 1984, and 51 FR 40407, Nov. 7, 1986]

§29.3073 Uniformity.

An element of quality which describes the consistency of a lot of to-bacco as it is prepared for market. Uniformity is expressed in grade specifications as a percentage. The percentage is applicable to group, quality, and color. (See Rule 13.)

[24 FR 8771, Oct. 29, 1959. Redesignated at 47 FR 51722, Nov. 17, 1982, 49 FR 16758, Apr. 20, 1984, and 51 FR 40407, Nov. 7, 1986]

§ 29.3074 Unsound (U).

Damaged under 20 percent. (See Rule 21.)

[24 FR 8771, Oct. 29, 1959. Redesignated at 47 FR 51722, Nov. 17, 1982, 49 FR 16758, Apr. 20, 1984, and 51 FR 40407, Nov. 7, 1986]

§29.3075 Unstemmed.

A form of tobacco, including whole leaf and leaf scrap, from which the stems or midribs have not been removed.

 $[24\ FR\ 8771,\ Oct.\ 29,\ 1959.\ Redesignated\ at\ 47\ FR\ 51722,\ Nov.\ 17,\ 1982,\ 49\ FR\ 16758,\ Apr.\ 20,\ 1984,\ and\ 51\ FR\ 40407,\ Nov.\ 7,\ 1986]$

§ 29.3076 Variegated (K).

Any leaf of which 20 percent or more of its surface is yellow, grayish, mottled, or bleached, and does not blend with the normal colors of the type or group and is generally characterized by a lower degree of leaf structure and maturity than tobacco of the corresponding group and quality. (See Rule 15.)

[24 FR 8771, Oct. 29, 1959. Redesignated at 47 FR 51722, Nov. 17, 1982, 49 FR 16758, Apr. 20, 1984, and 51 FR 40407, Nov. 7, 1986]

§29.3077 Wet (W).

Any sound tobacco containing excessive moisture to the extent that it is in an unsafe or doubtful-keeping order. Wet applies to any tobacco which is not damaged but which is likely to

damage if treated in the customary manner. (See Rule 22.)

[24 FR 8771, Oct. 29, 1959. Redesignated at 47 FR 51722, Nov. 17, 1982, 49 FR 16758, Apr. 20, 1984, and 51 FR 40407, Nov. 7, 1986]

§29.3078 Width.

The relative breadth of a tobacco leaf expressed in relation to its length. Width as an element of quality, does not apply to tobacco in strip form. (See Elements of quality.)

[24 FR 8771, Oct. 29, 1959. Redesignated at 47 FR 51722, Nov. 17, 1982. Redesignated and amended at 49 FR 16758, Apr. 20, 1984, and further redesignated at 51 FR 40407, Nov. 7, 1986]

ELEMENTS OF QUALITY

§ 29.3101 Elements of quality and degrees of each element.

These standardized words or terms are used to describe tobacco quality and to assist in interpreting grade specifications. Tobacco attributes or characteristics which constitute quality are designated as elements of quality. The range within each element is expressed by the use of words or terms designated as degrees. These several degrees are arranged to show their relative value, but the actual value of each degree varies with type, group, and grade. In each case the first and last degrees represent the full range for the element, and the intermediate degrees show gradual steps between them.

Elements			De- grees		
1 Body	Tissue- y.	Thin	Me- dium.	Fleshy	Heavy.
2 Maturity	Mellow	Ripe	Mature	Under- ripe.	Imma- ture.
3 Leaf structure (porosity and solid- ity)	Porous	Open	Firm	Close	Solid.
4 Leaf sur- face (smooth- ness).	Smoot- h.	Even	Wavy	Wrinkly	Rough.
5 Finish	Bright	Clear	Mod- erate.	Dull	Dingy.
 Color in- tensity. 	Deep	Strong	do	Weak	Pale.
7 Width	Broad	Sprea- dy.	Normal	Narrow	Stringy.
8 Length 9 Uniformity		(1)	(1) (2)	. ,	(1) (2)